



LT450PRO

4 Post 5 Tonne Hydraulic Hoist





HYDRAULIC HOIST FOR HEAVY-DUTY SERVICE AND ALIGNMENT WORK.

Ideal for:

Dealerships and busy workshops that need a heavy duty, quiet hoist for servicing and alignments. The LT450PRO delivers reliability backed by European design and build quality.



If you are not 100% satisfied with your equipment, Treadway Equipped will repair, replace or refund the equipment free of charge within the first 100 days.

Features:

Homologated and certified according to the European Machinery Directive 2006/42/CE and Harmonized standard EN 1493:2010.

- > Magnetically operated, automatic platform locking system.
- > One button push to release locks and lower.
- Innovative column design removes longitudinal welds, strengthening the structure.
- > Safety valve to prevent over loading the hydraulic system.
- > Special width between columns suitable for 3D alignments.
- > Motor equipped with thermal detector to prevent overheating.





LT450PRO

4 Post 5 Tonne Hydraulic Hoist








Features:

- Homologated and certified according to the European Machinery Directive 2006/42/CE and Harmonized standard EN 1493:2010.
- > Magnetically operated, automatic platform locking system.
- > One button push to release locks and lower.
- Innovative column design removes longitudinal welds, strengthening the structure.
- > Safety valve to prevent over loading the hydraulic system.
- > Special width between columns suitable for 3D alignments.
- > Motor equipped with thermal detector to prevent overheating.

SPECIFICATIONS

| Load capacity | 5000 kg |
|--|--|
| Platforms length | 5230 mm |
| Platforms width | 580 mm |
| Width between columns | 2900 mm |
| Distance between platforms | (min-max) 800-1210 mm |
| Drive on height | 195 mm |
| Lifting height | 1800 mm |
| Lifting time | 35 seconds |
| Overall length | 6200 mm |
| Overall width | 3265 mm |
| Motor | Trifasico 230/400 V - 50/60 Hz. 2.2 KW |
| Single Phase Version: 4ED0651 (1.9 KW - 230 V) | |
| | |



LT450PRO

4 Post 5 Tonne Hydraulic Hoist

Hydraulic Hoist for heavy-duty service and alignment work.

Safety & design



-)
- Quiet hoist that does not require compressed air to run
- Safety
- Maximum safety system against obstacles
- Safety Pre-stressed steel wires - high strength and low wear



Safety

Device allows wires to rest without load, increasing safety and minimising wear

Electronically controlled locking





Electrical safety

system

Toe-trapping protection

Options







- Optional) Tool support
- > Optional Air and energy supply
- > Optional Scissor jacking beam
- > Optional Turning plates







turning plates

Optional

)

Colour Customisation when purchased from the factory















If you are not 100% satisfied with your equipment, Treadway Equipped will repair, replace or refund the equipment free of charge within the first 100 days.

