



LT480PRO

8 Tonne 4 Post Professional Hoist



HIGH QUALITY 8 TONNE 4 POST HOIST. MANUFACTURED IN SPAIN, PERFECT FOR COMMERCIAL DEALERSHIPS AND WORKSHOPS.



Features:


- › Electro-Hydraulic lifting system.
- › Platform locking system operated automatically by electromagnets.
- › Innovative column design removes longitudinal welds, strengthening the structure.
- › Hydraulic cylinder with valve to control the lowering speed with any weight.
- › Push-button UP and DOWN, and separate ON/OFF switch.
- › Special protection on pulley zones.
- › Smooth platforms.
- › Upper height limit switch.
- › Automatic release of safety wedges when you push the DOWN button.
- › Motor is equipped with a thermal detector to protect against overheating.
- › Homologated and certified product according to the European Machinery Directive 2006/42/CE and Harmonized standard EN 1493:2010.

OUR PROMISE:
100
ONE HUNDRED DAYS
100% SATISFACTION

If you are not 100% satisfied with your equipment, Treadway Equipped will repair, replace or refund the equipment free of charge within the first 100 days.

LT480PRO

8 Tonne 4 Post Professional Hoist

STEINER
 PROFESSIONAL SERIES


Features:

- › Electro-Hydraulic lifting system.
- › Platform locking system operated automatically by electromagnets.
- › Innovative column design removes longitudinal welds, strengthening the structure.
- › Hydraulic cylinder with valve to control the lowering speed with any weight.
- › Push-button UP and DOWN, and separate ON/OFF switch.
- › Special protection on pulley zones.
- › Smooth platforms.
- › Upper height limit switch.
- › Automatic release of safety wedges when you push the DOWN button.
- › Motor is equipped with a thermal detector to protect against overheating.
- › Homologated and certified product according to the European Machinery Directive 2006/42/CE and Harmonized standard EN 1493:2010.

SPECIFICATIONS

Load capacity	8000 kg
Platforms width	710 mm
Width between columns	3265 mm
Distance between platforms	(min -max) 780-1150 mm
Drive on height	220 mm
Lifting height	1660 mm
Lifting time	65 seconds
Overall length	7150 mm
Overall width	3735 mm
Motor 4ED0700N	3 Phases 230/400 V - 50 Hz. 3 KW
Motor 4ED0762N	3 Phases 230/400 V - 60 Hz. 3 KW

LT480PRO

8 Tonne 4 Post Professional Hoist

High quality 8 Tonne 4 Post Hoist manufactured in Spain, perfect for commercial dealerships and workshops.

STEINER
PROFESSIONAL SERIES

Safety & design



- › **No need for compressed air**
Does not require compressed air to run



- › **Safety**
Maximum safety system against obstacles



- › **Safety**
Pre-stressed steel wires – high strength and low wear



- › **Safety**
Device allows wires to rest without load, increasing safety and minimising wear




- › **Electrical safety**
Electronically controlled locking system



- › **Safety**
Toe-trapping protection

Options



- › **Optional**
Lighting equipment for platforms



- › **Optional**
Tools support



- › **Optional**
Inspection lighting equipment 24V



- › **Optional**
Air and energy supply



- › **Optional**
Scissor jacking beam



- › **Optional**
Exit ramp set



- › **Optional**
Colour customisation when purchased from the factory



OUR PROMISE:

100

ONE HUNDRED DAYS
100% SATISFACTION

If you are not 100% satisfied with your equipment, Treadway Equipped will repair, replace or refund the equipment free of charge within the first 100 days.

0800 436 436
treadwayequipped.co.nz