



LT260CFPRO

## 2 Post 6 Tonne Clear Floor Hoist



**HYDRAULIC HOIST FOR  
HEAVY-DUTY SERVICE WORK.**



### Ideal for:

At 4.8m tall, this Korean made clear floor 2 post hoist is perfect for workshops that service heavier, taller vehicles.





If you are not 100% satisfied with your equipment, Treadway Equipped will repair, replace or refund the equipment free of charge within the first 100 days.

### Features:

- › Maximum Lifting Capacity: 6,000 kg
- › Structure: Clear floor design for unobstructed access
- › Cylinder Type: Fully sealed hydraulic twin RAM cylinders
- › Balancing System: Premium-grade rotational-resistant wire rope balance cables
- › Safety Mechanism: Electronic safety lock release system with integrated timer
- › Lift Pads: 100mm low-profile telescopic lift pads
- › Height Adjustment: Adjustable cross member height for flexible installation
- › Safety Switches: Dual upper limit switches installed on both posts and cross member
- › Power Unit: High-performance Korean hydraulic power pack
- › Optional Features
  - Arm-mounted tool tray
  - Extended lift pads
  - Wired remote control

## LT260CFPRO

# 2 Post 6 Tonne Clear Floor Hoist

**STEINER**  
PROFESSIONAL SERIES


## Features:

- › Maximum Lifting Capacity: 6,000 kg
- › Structure: Clear floor design for unobstructed access
- › Cylinder Type: Fully sealed hydraulic twin RAM cylinders
- › Balancing System: Premium-grade rotational-resistant wire rope balance cables
- › Safety Mechanism: Electronic safety lock release system with integrated timer
- › Lift Pads: 100mm low-profile telescopic lift pads
- › Height Adjustment: Adjustable cross member height for flexible installation
- › Safety Switches: Dual upper limit switches installed on both posts and cross member
- › Power Unit: High-performance Korean hydraulic power pack
- › Optional Features
  - Arm-mounted tool tray
  - Extended lift pads
  - Wired remote control

## SPECIFICATIONS

Lifting Capacity	6,000Kg
Max. Height	Approx. 2,030 ~ 2,135mm
Min. Height	Approx. 115mm
Lifting Time	Approx. 40~60sec
Lowering Time	Approx. 45~55sec
Power & Motor	3PH*5.4HP*2P*415V*50Hz
Operating Method	Control Box & Wired Remote Controller
Net Weight	Approx. 1,000~1,080Kg

## LT260CFPRO

## 2 Post 6 Tonne Clear Floor Hoist

Hydraulic Hoist for heavy-duty service work.

**STEINER**  
PROFESSIONAL SERIES

## Safety &amp; design



## › Safety

Designed and manufactured to CE standard: 2010 version EN1493 ensuring high quality, durability, and safety.



## › Control Box

With PCB operation.



## › Performance Korean Powerpack

Plus optional 3kW upgrade

## Options



## › Optional

Wired remote control



## › Optional

Arm Tool Trays



## › Optional

Optional Pad Extensions:  
100mm & 180mm

## OUR PROMISE TO YOU

We are committed to customer satisfaction.

All our projects are covered by our 100 Promise.

OUR PROMISE:

**100**ONE HUNDRED DAYS  
100% SATISFACTION

If you are not 100% satisfied with your equipment, Treadway Equipped will repair, replace or refund the equipment free of charge within the first 100 days.



OUR PROMISE:

**100**

ONE HUNDRED DAYS  
100% SATISFACTION

If you are not 100% satisfied with your equipment, Treadway Equipped will repair, replace or refund the equipment free of charge within the first 100 days.

**0800 436 436**  
[treadwayequipped.co.nz](https://treadwayequipped.co.nz)