

**STEINER**  
PROFESSIONAL SERIES

LT60SAPRO

# 6 Tonne Alignment Scissor Lift



**LOW PROFILE HYDRAULIC SCISSOR HOIST  
FOR SERVICE AND ALIGNMENT WORK.**



## Ideal for:

This premium Korean-made lift is a smart investment for busy tyre shops and dealerships, offering superior accessibility with above-ground or in-ground installation options and a crossbar-free design for unobstructed access.

OUR PROMISE:  
**100**  
ONE HUNDRED DAYS  
100% SATISFACTION




If you are not 100% satisfied with your equipment, Treadway Equipped will repair, replace or refund the equipment free of charge within the first 100 days.

## Features:

- › Easy access between platforms
- › Foldable crossbeam for underbody repairs (optional)
- › Powerful balancing system overcomes weight differences of more than 1 ton left/right
- › Electronic synchronisation system automatically maintains platform level
- › Pneumatic locking rear slip plate (Auto/Manual)
- › LCD panel integrated into control box displays functions and diagnostics
- › LED lighting automatically turns on/off during use
- › Status display LED lighting (optional)
- › Extendable platforms: Front 300mm + Rear 300mm (optional)

## LT60SAPRO

# 6 Tonne Alignment Scissor Lift

**STEINER**  
 PROFESSIONAL SERIES


## Features:

- › Easy access between platforms
- › Foldable crossbeam for underbody repairs (optional)
- › Powerful balancing system overcomes weight differences of more than 1 ton left/right
- › Electronic synchronisation system automatically maintains platform level
- › Pneumatic locking rear slip plate (Auto/Manual)
- › LCD panel integrated into control box displays functions and diagnostics
- › LED lighting automatically turns on/off during use
- › Status display LED lighting (optional)
- › Extendable platforms:  
Front 300mm + Rear 300mm (optional)

## SPECIFICATIONS

Lifting Capacity	Main 6000Kg / Jack 3000Kg
Max. Height	Main 2090mm / Jack 340~350mm
Min. Height	Main 290mm / Jack 20~25mm
Lifting Time	Main Approx 40~60sec / Jack 5~15sec
Lowering Time	Main Approx 35~55sec / Jack 5~15sec
Power & Motor	3PH*2HP*4P*415V*50Hz x 2
Operating Method	Control Panel, Wired Remote Controller
Net Weight	Approx. 2800Kg

## LT60SAPRO

## 6 Tonne Alignment Scissor Lift

Low Profile Hydraulic Scissor Hoist for service and alignment work.

**STEINER**  
PROFESSIONAL SERIES

## Design &amp; safety



## › Safety


Designed and manufactured to CE standard: 2010 version EN1493 ensuring high quality, durability, and safety.



## › Auto self-levelling system

## › Includes hydraulic rolling jacks

Integrated with electric and hydraulic systems, allowing seamless lifting of vehicles for wheel service or inspection



## › Design

Available as above-ground or in-ground configuration



## › Control box

LCD panel integrated into control box displays functions and diagnostics



## › Extendable platforms

300mm front + 300mm rear extension (total 600mm) for longer vehicles

## OUR PROMISE TO YOU

We are committed to customer satisfaction.

All our projects are covered by our 100 Promise.

OUR PROMISE:

**100**

ONE HUNDRED DAYS  
100% SATISFACTION

If you are not 100% satisfied with your equipment, Treadway Equipped will repair, replace or refund the equipment free of charge within the first 100 days.



OUR PROMISE:

**100**

ONE HUNDRED DAYS  
100% SATISFACTION

If you are not 100% satisfied with your equipment, Treadway Equipped will repair, replace or refund the equipment free of charge within the first 100 days.

**0800 436 436**  
[treadwayequipped.co.nz](http://treadwayequipped.co.nz)